

SAFETY DATA SHEET Rigby Taylor Convert 12-5-20 Mini 20kg

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Rigby Taylor Convert 12-5-20 Mini 20kg

Product number 12897

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Fertiliser

1.3. Details of the supplier of the safety data sheet

Supplier PB Kent

Alexandra Road South, Immingham Dock Immingham DN40 2QW

+44 (0) 1469 563980 +44 (0) 1469 571444 sales@pbkent.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0) 1469 563980 Mon - Fri 8am - 5pm

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

Health hazards Eye Dam. 1 - H318

Environmental hazards Not Classified

2.2. Label elements

Pictogram



Signal word Danger

Hazard statements H318 Causes serious eye damage.

Precautionary statements P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Contains Powder TSP

Rigby Taylor Convert 12-5-20 Mini 20kg

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SSP Single Superphosphate 5-10%

CAS number: 8011-76-5 EC number: 232-379-5 REACH registration number: 01-

2119488967-11-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Eye Irrit. 2 - H319 Xi; R41

XCU 41-0-0 5-10%

CAS number: —

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Irrit. 2 - H315 Xi; R38

Powder TSP 5-10%

CAS number: 65996-95-4 EC number: 266-030-3 REACH registration number: 01-

2119493057-33-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Eye Dam. 1 - H318 Xi; R41

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

Ingestion

4.1. Description of first aid measures

Inhalation Get medical attention if symptoms are severe or persist.

Skin contact Wash skin thoroughly with soap and water or use an approved skin cleanser. Get medical

Get medical attention if symptoms are severe or persist.

attention if symptoms are severe or persist after washing.

Eye contact Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

Continue rinsing. Continue to rinse for at least 10 minutes. Get medical attention if symptoms

are severe or persist after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation Dust in high concentrations may irritate the respiratory system.

IngestionNo harmful effects expected from quantities likely to be ingested by accident.

Skin contact Skin irritation should not occur when used as recommended.

Eye contact Prolonged or repeated exposure may cause severe irritation. Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Rigby Taylor Convert 12-5-20 Mini 20kg

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Specific hazards None known.

5.3. Advice for firefighters

Protective actions during

firefighting

No specific firefighting precautions known.

Special protective equipment

for firefighters

Use protective equipment appropriate for surrounding materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid inhalation of dust and contact with skin and eyes. Use suitable respiratory protection if

ventilation is inadequate. Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Take care as floors and other

surfaces may become slippery.

6.2. Environmental precautions

Environmental precautions The product is slowly degradable. The product is not expected to be hazardous to the

environment. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Take care as floors and other surfaces may become slippery. Collect and dispose of spillage

as indicated in Section 13.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Read label before use. Wear appropriate clothing to prevent repeated or prolonged skin

contact. Avoid inhalation of dust and contact with skin and eyes.

Advice on general occupational hygiene

Wash hands thoroughly after handling. Wash at the end of each work shift and before eating,

smoking and using the toilet.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in a dry place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Ammonium Sulphate

Rigby Taylor Convert 12-5-20 Mini 20kg

Long-term exposure limit (8-hour TWA): LTEL 10Mg/m3

Urea

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust

Calmag Magnesium Oxide

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³

inhalable dust

as Mo

Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ fume and respirable dust

as Mg

WEL = Workplace Exposure Limit

Potash (CAS: 7447-40-7)

DNEL Workers - Dermal; Short term systemic effects: 580 mg/kg/day

Workers - Dermal; Long term systemic effects: 580 mg/kg/day Workers - Inhalation; Short term systemic effects: 292 mg/m³ Workers - Inhalation; Long term systemic effects: 292 mg/m³

PNEC Industry - Fresh water; 0,047 mg/l

- Marine water; 0,047 mg/l

SSP Single Superphosphate (CAS: 8011-76-5)

DNEL Workers - Inhalation; Long term systemic effects: 3.1 mg/m³

Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day

General population - Inhalation; Long term systemic effects: 0.9 mg/m³ General population - Oral; Long term systemic effects: 2.1 mg/kg/day General population - Dermal; Long term systemic effects: 10.4 mg/kg/day

PNEC - Fresh water; 1.7 mg/l

Marine water; 0.17 mg/m³
Intermittent release; 17 mg/l

- STP; 10 mg/l

8.2. Exposure controls

Protective equipment





Appropriate engineering controls

All handling should only take place in well-ventilated areas.

- 4

Eye/face protection Wear eye protection.

Hand protection Wear protective gloves.

protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures

Other skin and body

Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

Respiratory protection No specific recommendations.

SECTION 9: Physical and Chemical Properties

Rigby Taylor Convert 12-5-20 Mini 20kg

9.1. Information on basic physical and chemical properties

Appearance Granules.

Colour Beige. to Dark brown. or Black.

Odour Mild.

Odour threshold Not determined.

pH Slightly Acidic

Melting point Not relevant.

Initial boiling point and range Not relevant.

Flash point Not relevant.

Evaporation rate Not relevant.

Flammability (solid, gas) The product is not flammable.

Not known.

Not relevant.

Vapour pressure Not relevant.

Vapour density Not relevant.

Relative density Not relevant.

Solubility(ies) Not known.

Decomposition Temperature Not relevant.

·

Viscosity Not relevant.

Explosive properties Not relevant.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Partition coefficient

Auto-ignition temperature

Other information No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No test data specifically related to reactivity available for this product or its ingredients.

10.2. Chemical stability

Stability Stable when stored in a dry place.

10.3. Possibility of hazardous reactions

Possibility of hazardous

No potentially hazardous reactions known.

reactions

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid None known.

10.6. Hazardous decomposition products

Rigby Taylor Convert 12-5-20 Mini 20kg

Hazardous decomposition

products

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) No specific test data are available.

Acute toxicity - dermal

Notes (dermal LD₅₀) No specific test data are available.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) No specific test data are available.

Serious eye damage/irritation

Serious eye damage/irritation Irritation of eyes is assumed. In-vitro testing conducted on products with SSP Content <62%,

2015, Result: Reduced classification to Eye Irritant. Test Guideline OECD 438. This result is less severe than the harmonized classification for Super Phosphates as Eye Damage 1 H318.

Respiratory sensitisation

Respiratory sensitisation No specific test data are available.

Skin sensitisation

Skin sensitisation Not determined.

Germ cell mutagenicity

Genotoxicity - in vitroThis substance has no evidence of mutagenic properties.

Carcinogenicity

Carcinogenicity No specific test data are available.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposureNot classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure.

Eye contact The product is considered to be a low hazard under normal conditions of use. Risk of serious

damage to eyes.

SECTION 12: Ecological Information

Ecotoxicity The product is not expected to be toxic to aquatic organisms.

12.1. Toxicity

12.2. Persistence and degradability

Persistence and degradability The product is slowly degradable.

12.3. Bioaccumulative potential

Partition coefficient Not known.

Rigby Taylor Convert 12-5-20 Mini 20kg

12.4. Mobility in soil

Mobility No data available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

12.6. Other adverse effects

Other adverse effects Not relevant.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

Disposal methods Reuse or recycle products wherever possible. No specific disposal method required.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

Rigby Taylor Convert 12-5-20 Mini 20kg

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 13/05/2015

Revision 1

SDS number 4957

Hazard statements in full H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.